	Veneta Engineering s.r.l. 37135 VERONA Via Lovanio 8/10 Telefono 0458200948 telefax 0458201982 www.venetaengineering.it	Organismo notificato di certificazione europea n. 0505 Macchine - Ascensori - Recipienti semplici a pressione - Rumore Organismo d'ispezione di tipo "A" Impianti elettrici	9101 VERIFICA ATTREZZATURE DALAVORO
	Laboratorio di Prove		

Authorized by Ministero dello Sviluppo Economico on 15 Jan. 2008 pursuant to articles 10 & 11 part A of EEC Directive 89/686/EEC "PPE-Personal Protective Equipment" dated 01 Jan. 08 (G.U. no. 24 of 29 Jan. 08)

To:
HB SECURITY S.R.L.

**VIA DELL ADIGE, 5
CORTACCIA**


39040

BZ

TEST REPORT No. Acceptance record no.	334/EN VA 80642	date: 20/12/2012 date: 06/04/12	ORIGINAL
TESTS ON ANCHOR DEVICES - PROTECTION AGAINST FALL FROM A HEIGHT			EN 795 P9101

dates:	test start	18/12/2012	test end	18/12/2012	sample
samples delivered		SAME-AS PRODUCTS			

REF. (as declared by client)	MARKET NAME	SECURE CLIMBING
	CHARACTERISTICS	MOBILE ANCHORING POINT FOR ONE USER
	SAMPLING SITE	

GENERAL DATA	DECLARED CLASS (POINT 4,3)	B	PORTABLE TEMPORARY ANCHORING DEVICES
	FIXING BASE CONNECTED WITH 2 M10,100 BOLTS ON STEEL PIPE		
	MOBILE ANCHORING POINT		
	LOAD TO BE APPLIED TO FIXED HOOK		
	PROTOTYPE - standardized production not checked		

inspections, measures and tests carried out (*)


inspections	markings found on sample under inspection					
tests	STATIC test		point 5,2,3		TEST PASSED	
	anchoring structure		Steel pipe			
	applied force	kN	10	std value	10,0	OK
	(FORCE APPLIED IN THE DIRECTION IN WHICH SAID FORCE CAN BE APPLIED DURING OPERATION)					
	application time	min	3	minimum	3	OK
	THE DEVICE	HOLDS		THE LOAD		OK
	DYNAMIC test		point 5,3,2		TEST PASSED	
	anchoring structure		Steel pipe			
	falling mass	kg	100	std value	100,0	OK
	height of fall	mm	2520	min std value	2450,0	OK
max std value				2550,0	OK	
(HORIZONTAL DISTANCE FROM THE ANCHORING POINT TO THE LOAD APPLICATION POINT MAX. 300 MM)						
THE DEVICE	HAS	REMAINED STABLE				
THE MASS	HAS	BEEN ARRESTED BY THE DEVICE				OK

ANALYSIS OUTCOMES STATIC LOAD TEST **PASSED** DYNAMIC LOAD TEST **PASSED**


THE OVERALL OUTCOME OF THE TESTS CONFIRMS THE DECLARED CLASS


NOTES NV = not evaluated NC = not compliant

the experimenter
Muntean Mihai



the head of laboratory
dotting. Louis Turella



	Veneta Engineering s.r.l. 37135 VERONA Via Lovanio 8/10 Telefono 0458200948 telefax 0458201982 www.venetaengineering.it	Organismo notificato di certificazione europea n. 0505 Macchine - Ascensori - Recipienti semplici a pressione - Rumore Organismo d'ispezione di tipo "A" Impianti elettrici	9101 VERIFICA ATTREZZATURE DAL LAVORO
	Laboratorio di Prove		

Authorized by Ministero dello Sviluppo Economico on 15 Jan. 2008 pursuant to articles 10 & 11 part A of EEC Directive 89/686/EEC "PPE-Personal Protective Equipment" dated 01 Jan. 08 (G.U. no. 24 of 29 Jan. 08)

To:
HB SECURITY S.R.L.

VIA DELL ADIGE, 5
CORTACCIA

39040


BZ

TEST REPORT No.	334/EN VA	date:	20/12/2012	ORIGINAL
Acceptance record no.	80642	date:	06/04/12	
TESTS ON ANCHOR DEVICES - PROTECTION AGAINST FALL FROM A HEIGHT				EN 795 P9101

dates:	test start	18/12/2012	test end	18/12/2012	sample
samples delivered	SAME-AS PRODUCTS				

REF. (as declared by client)	MARKET NAME	SECURE CLIMBING
	CHARACTERISTICS	MOBILE ANCHORING POINT FOR ONE USER
	SAMPLING SITE	

PRODUCT AND FIXING DIAGRAM



the experimenter
Muntean Mihai

the head of laboratory
dot.ing. Loris Turella